

Call
729D
IV -16
1932

1932

Margaret

Anglica US

granulata L. Sumia Spr.
generally abundant.

Peziza 107 Basin
a. m. c. ? = calceola ? = pleure

76 Wood & any material not
used? And plate are they? How

Beluski Sierra Nevada?

monocarpa A. N. coastal, rare,
if so = subtilis. If a new
of obovatus?

Thymus | 20. 10. 1900

Micronistana Do Cnava
c. nase, v. p. r. i. c. o. d. e.
intermediates?

In some specimens a
mass of one or two small
pyrites, intermediate, or a mixture?

Myellidat US

Ancistrus delicatula new
species with dark head. This
is pulicaria? Material partly
from New York, Harston, Vassar College.
Cyrtopoda schmidiana new
not this sp.? Several not
examined.

Pterophylla pucata or new
20th Palestine, Texas.

Brachyptera magna SW 18th
no. new = race? no

Spharagemon near, new or
Mex 20th Katharine, Tex.

Trin. saxatilis new Sa
race. (But see from
Linn & Ark (?) Whipple
says he has. - see next p.

Tettigoniidae

Archilimum nsp or W race
of agile Ala. SE Tex.

~~Insara thalassai nts.~~

~~Scintillantia several
new SW and SE Tex.~~

~~Chloropoda to SW Tex. Jaquith.~~

Phaenoptera pure. Jurcif.
western race probably

Xanthippus montanus variet.
to Wyo. or others prob. or race
or nsp.

Aenidium nsp, or race of aadium
12 Sugar Pine, Cal.

Mel. nsp? near inconspic
Balmorhea Tex 30th 11th.

~~Ant. nsp. prob. before calidus~~

~~Utah Station.~~

~~Ant. nsp. near tenaxus cadabro~~

~~See 10. No~~

Litanistria del Monte to
Riverside Cal. Conical eyes
nsp. or nall, no - incip. nall.

T. savatilis examined entire
more series. SE insect
was narrower. Particular
partic noticeable in 2s.

Now this broadest and
n. at narrower than
narrowest. Ayle 3, there
being some medio than in
series but the ones of some
can be easily separated from
the ones from the rest.

The eye is at less deep
in color. It is more, but
width was. proven to the
case of this feature as diap
Rhododactylus 7 calidus

Diap Lucia nsp. 501 Chrom 101
Pachypterus long & cal distans
I all two most, anci distans.
Orithya nsp. maest Maest maest
3017 maest. maest 7

Mel. nsp. nearest saltator?
 Crater Lake 18 (name we see?)
Mel. nsp. nearest junco-nig.
 Utah Plateau series.

Low crest Implicia xanthoptera
 Douville & Houston, probably
 nothing but center averages
 more acute.

Raudos. arborescens = straminea
Prudymt. dubia from Washington
 Empress. Bl. no australis
 a mass of serotifera nsp.

Helianthus sinuicristatus ~~sp. n.~~
 Texas in ~~the~~ dist. ~~area~~ ^{sp.} subroscula Lamb.
 correct all Blatch 1920 names which =
 species.

Microcuculus nebulosus, dist. gemmatus
 ✓ longispinus another " " "
 ✓ areolaris still " " "

Obesocauda = californiana (sensu)
Aspidia Townsendii Trace & Carr 1881.
 not that nsp. = S. D. phaseolus
Diapherocera (Mey. & Brunn.)
 US record nsp.

Reganthis argenteus De
 O Tex very large and robust
 Is it the same mass?

Cordill apache = step. crenulata
gradicium toward ser. pinn.? P
apornala varipes calicina = ?
Does. crenulata = ser. pinn.
But it a gradicium - correct ser.
cloudcroft record.

Brunner's 1947 record of *Ranunculus striatus* from Dallas Texas sent = *R. striatus* (Sc) if the males come from there. A few were quite possibly misclassified.

Schistocerca cancellata, What is
its California record?

Select type loc Acridium
rotatum as US & Macch as
type of Sch. acridium.

Lilanthus longipennis Beyer.
Turkio Ariz. Zool. Anzeig. 80, 11
137, 1929.

Anthraxa m. mace nearest g.
gracilipes? ²⁰¹⁰ acute & production
ap. origin of juv. but inapt.

Bennardides x strongest to know
Kendall Co.

Victoria

Gerrville

Clip. Rabial Co

1 San Antonio

Trace 1 Gerrville

sure " 1 San Antonio

" Tarudo

noted by R. D. H. in 1914

nearest Trace 1 Victoria

Bei-Bien Co Unysphera
alle grues?

Anthraxa m. mace near buccinella?

Patagonia 17

Anthraxa arista Quig Plat &
Use not known as Cal ies?

Alantides a americana
SW type? much more pt
angular cur egg, not sessile
2 ant 7 pl 10 short lobes

if this is true of type then
Eastern race = a. derogatus
(alto 1000 & has the typical
deeply engraved, sub-
sac. file).

~~Quercus macrocarpa~~
~~near Pease Oct 1819.~~

Quercus, dorainii (Tadley) 1890
placed as Querc. prinus by S.
Kearse as above by S. W. W.
1924 Ann. May, N.H. (9) x 11 p 248

Ranunc. Buener 1905 Proc.
" Casey 1895 quoted in
Henshaw's 3d Suppl. Biol 1906 p 187

Courosia silvicola Buener
Pub. Neb. Ac. Sci. 11 p 25, 1893
Ann. Rep. Neb. Bd. Agr. 1896 p 133
1897. (Proc. Neb. Agr. Soc. Neb.)
Mrs. Grace Kelly

die adpressus pub. acidovirens
3022 D. K. L. S. S.

x. went to ice process, & now only ready.

References being published 1932.

~~Sceloporus~~ (appeared 1932)

~~* Saluti Pac. Suway B P B 74~~

~~Harmonia~~

~~Adiantum~~

~~Demography and Culture~~

~~Ex. 1000000~~ 2000~~Scrubland~~

~~Kansas State (1872-1873)~~

~~4 minutes 07~~ 7 minutes

Illinois	266
----------	-----

~~to Colo. notes for new 2, 3, 7, 25~~~~* Harrowesia~~ ~~new~~

Price note. New

~~Go to Hills, New~~

Periclymenum furcata Dur.

~~Charles Reynolds 72 ES~~

The New West

~~Norman Bates~~~~more Indian Cattle.~~

~~Abraham Sp. Malaphe~~

~~Melanobius montanus +
wasingtoniensis d. microni.~~

~~There are 2 new races of
Scaptus probably and a
new Longicornis.~~

~~pub. insignis Hubb procc
by M. dubletti insignis
Hub - insignis Hubb~~

Scaptus reticeps carinata Sc

Type of ♀ from Veracruz.
Burr (T. Hayles) by R. & H in 1912
HCT No. 1236. Scaptus orig. rec.
from San Diego, Cal. = ?

The race insignis in
the eastern U.S. in the
of a Scaptus there and in the
countries to the south but
abundantly in the U.S. to
the east.

Scaptus insignis (S.P.) in Gabriel

Arydium armonia armonia
typical Wrightsville N.C. to
southern Fla & Bainbridge Ga.
typic Mason, etc. Klatsky
a synonym.

~~Mel. shastanus (nsp) Saltator
Group. 4549 with Shasta (over
collecting).~~

Have annulate margins
in Arch. onigripes (McG)
here emphasised?

~~Psittacus nsp. Ariz.
data needed from Ball.~~

~~Rhabdornis~~ ~~Syn.~~
~~Ceratita Strand, Arch.~~
~~Malberg, 92 (1926).~~ ~~Whitaker's~~

Pezotellus unicolor Thos? Rept.
Boggs. Zool. Expl. & Surv. W. of
the 100th Merid., Vol. 888 pl. xlv
fig 5. 7 mts. of So Colo. (prob.
= Lehmanni?) 1875. (not of
Thomas 1873).

Mel. utahensis n. race or both
races of breweri? Martine
res.

in gen. for *Thap. speciosa*

" " " *Grassh. nemata*

Ps. Altitoda occidentalis
Brunner 1887 different
from *Scintettia occidentalis*
Brunner 1893 & is *Microtes*
subila Sc 1900 in eye of
the junior as Candell states

NO. / *T. occidentalis* Br. 1889 is not same
as *M. subila* Sc 1900. (have type "On High
Terry Hilltop SW of San Francisco;
late Oct. Koebels & Brunner").

- and is not a species of *Cricotettia*
as Candell stated in 1911, Ent. News
XXII - p. 163.

Gynandromorphus *bedoleonotus* *phrynaeus*
Mik. f. *flavus*?

Tomoceris *Rockleyi* Davis 12
proba merita. *M. sp?*

22

2

Calliptamni Wv. (877) Jarb. (1359)

Decticinae Wv. (957)

Acrididae (Cent. Asia) Wv. (1081) (961)

Pholidoptera Ramme (1247)

Imethis Wv. '26

Euprepocnemes Bol. '14 (822)

Dociostaurus Wv. '21 (751)

Aeropus Wv. '31

Sagiana Srs. '88 (417)

Acrometopa Ramme '27 Eos.

Platycheis Ramme '27 Eos.

Gampsoclis Adelung '09 (432)

Turkey No. '30 (1257) ^{IV} Ent. p. 349-373.

Bosnia & Herzegovina Wern. '07 (461)

Wissensch. Mitt. aus B. & H., X, pp. 1-11.

Persia (Elburg) Rammere '29

Ent., V, pp. 143-160.

Macedonia No. '23 (914) Trans. Ent.
Soc. London 1923 pp. 110-169. (Burr &
Campbell).

Yunnan No. '25 (999) Jn. & Proc.
As. Soc. Bengal (N.S.) XX pp. 313-335.

21 Mesopotamia & Persia Chopard
Jn. Bombay Nat. Hist. Soc., 192
pp. 47-59.

Persian Gulf No. '27 (1076) Ent. Mitt.
xvi, p. 186.

India Bol. '18 (812) Rev. R. Acad.,
Cienc. Ex. Fis. y Nat. Madrid xvi
pp. 278-289, 374-412.

Transcaucasia No. '12 Horae Soc. Ent. Ross.,
XL pp. 1-54. (422)

Armenia & Persia, Werner '22 Acta
Soc. Ent. Czechoslovenica XX p. 1-9. ()

Sinai No. '29 Bodenh. u. Theodor,
Ergeb. Sinai-Exp. pp. 90-103. (1187)

Persia No. '14 (689) '29 (1186)

Persia to W. India No. '23 (953)

Palestine No. '24 (954)

Sinai, Palestine, Syria Krauss '09
Verh. Naturwiss. Ver. Karlsruhe, XXI,
pp. 99-119.

Asia Minor Bol. '99, Ann. Soc. Ent.
Belg. XLIII, pp. 583-607.

Egypt W. '24 Minist. Agr. Egypt.,
Tech. & Sci. Bull No. 41 pp. 1-41 (916)



